



#### All of ATI's products are manufactured in the USA at our facilities in southeastern Wisconsin.

Our vertically integrated manufacturing plants include a Molding Department equipped with Electric Servo Driven Plastic Mold Injection Presses with automated robotics, and a CNC Machining Department equipped with state of the art fully automated precision CNCs. Once our components are produced they are assembled and packaged in our assembly department. They are then shipped direct from the factory floor to customers throughout the world. Our company doesn't stop at manufacturing. ATI also bolsters its own Engineering and Product Design Team. Everything from Customer Service, to Tooling Maintenance, to Product Photography is performed under one roof. Trust ATI for all of your Gunstock and Firearm Accessory needs.



ATI HQ | Cedarburg, WI

### ADVANCED DESIGN



### SUPERIOR BUILD



### UNPARALLELED PRODUCT







### **ATI Catalog Index**

Taurus Scorpion X2 Grips4NEW TactLite Stock6AR-15 Components8
- TactLite Stock
- Scorpion X2 Grips
- Forends
Rifle Components 16
- AK-47, Mossberg, Remington, Ruger 10/22, Ruger Mini 14 & THIRTY, Vepr, Saiga, SKS
Shotgun Components 18
- Baikal 133 / 135, CZ 712 / 720, Hatsan Escort, Mossberg
12 GA & 20 GA, Remington 870 12 & 20 GA, Saiga,
Stoeger, Winchester SXP / 1200 & 1300
Ruger AR-22 Stock Package20
CZ 512 Stock Package22
Raven Components 24
- Benelli M4, Benelli Supernova, Mossberg 930,
Remington 1100 / 11-87
Halo Add-a-Shell Systems26
- Mossberg 500 / 590, Remington 870
Hunting Rifle Stocks
- Mosin Nagant, Enfield, Mauser, SKS
Akita Components30
- CZ 712 / 720, Hatsan Escort, Mossberg 500 / 590, Remington 870 12 & 20 GA, Winchester SXP / 1200 & 1300
Additional Stocks
Rifle Accessories



Introducing the **TactLite** Adjustable Stock - The industry's lightest adjustable stock, weighing in at just **5.85 Ounces**. The TactLite Stock Eliminates Snag Points and Provides a Secure Fit to the Buffer Tube Eliminating any Play between the Stock and the Buffer Tube with ATI's **TracLock System** 

### **Color Key**

Black Flat Dark Earth Destroyer Gray Woodland Brown



### SCORPION X2 GRIPS

1911 Inspired Rear Tang Creates Consistent Hand Placement and Reduces Muzzle Lift

Engineered Fit to the Shooter's Hand to Provide Outstanding Balance

Scorpion Recoil Grip Reduces Recoil & Muzzle Lift

### TAURUS® 38. SPL. ATI vs. OEM

Visual Comparison shows minimal additional length so not to hinder concealment while making it possible to get all three fingers onto the grip.



- Model 941



- Poly Frames & Model 85 View

 TAURUS® LARGE

 FRAME

 GRIP

 Fits Taurus®:

- Model 17 Tracker 17 - Model 992 Tracker 22
- Model 627 Tracker 357
- Model 45-410 The Judge

**Does Not Fit** Taurus<sup>®</sup>:

- Poly Frames & Public Defender Models



**TAURUS GRIPS** 

Scorpion Grip Patent # 8,561,338 B2 Patent Pending Pistol Grip

- Not Affected by Chemicals or Extreme Temperatures
- Single screw for easy installation
- Made in the USA
- Limited Lifetime Warranty

Finger Elevation Contour Leads Finger to Trigger

Sure Grip V2 Texture for an Extremely Secure Hold in Wet and Dry Conditions

Curved Base Secures Grip and Aids in the Reduction of Muzzle Lift

# SCORPION X2 GRIPS

### TAURUS GRIPS

**NEW** 2015

**Small Frame Grip** 



Large Frame Grip

**TAURUS GRIPS** 



## TactLite Stock NEW 2015

#### **Cheekrest Options**

#### Introducing the TactLite Adjustable Stock

The industry's lightest adjustable stock, weighing in at just **5.85 Ounces**.

The TactLite Stock Eliminates Snag Points and Provides a Secure Fit to the Buffer Tube Eliminating any play between the Stock and the Buffer Tube with ATI's **TracLock System** 





11/4" Rise

Patent Pending TactLite Stock





\* X2 Razorback Recoil Pad Optional





**TactLite Stock** 



ATIgunstocks.com



**Cross Platform Fit** 



TactLite Stock



## **AR-15** COMPONENTS

Personalize your AR-15 with a wide variety of accessories from ATI. The must haves for your AR-15 are available at ATI. Start accessorizing and add form and function to your rifle today!

### TactLite STOCK



#### **NEW**/2015

- Lightest Stock in the Industry
- 5.85 Ounces
- Provides one of the most secure fits to the buffer tube in the industry utilizing ATI's TracLock Mounting System
- Eliminates Snag Points
- Dual Sided QD Attachment Point
- No Interference with the Charging Handle

### X2 GRIP



- Rear Tang for Repeatable hand placement
- Vertical Grip Angle
- Specific Geometry places the hand in the proper location and the index finger at the precise vertical and horizontal position for optimal placement on the trigger

Scorpion Grip Patent # 8,561,338 B2 Forend Patent # 8,215,046 B2 Patent Pending Pistol Grip Patent Pending TactLite Stock

### TACTICAL FORENDS



- Modular Mounting System Allows for Exponential Accessory Configurations on the Forend
- Lightweight Durable Construction
- 6 & 8 Sided Configurations
- Free Float and 2 Piece



# **AR-15 COMPONENTS**

**AR-15 RIFLE** 



**AR-15 COMPONENTS** 



### TactLite STOCK NEW 2015

Patent Pending TactLite Stock

The TactLite Stock is designed specifically for the M4 Platform with versions built to both Military and Commercial Specifications.

The New TactLite stock provides all of the benefits of other aftermarket stocks without the weight. Lighten your load with the lightest aftermarket AR-15 stock available today.

**Dual Sided QD Mount** 

10

B.2.10.2211 | Commercial B.2.10.2212 | Mil-Spec

No Interference with Charging Handle

TracLOCK System

**Eliminates Snag Points** 

The Industries Lightest Adjustable Stock 5.85 0Z.



• Eliminates Horizontal & Vertical Movement

Smooth & Quiet LOP



AR-15 TactLite STOCK



# **TactLite STOCK**

AR-15 RIFLE





**AR-15 TactLite STOCK** 

### SCORPION X2 GRIP

The Scorpion **X2** Grip guides you to a repeatable engaged hand placement on your AR-15 every time you grasp the grip, saving you priceless seconds when they count the most.

Specifically Engineered Grip Dimensions Create the Optimal Distance from the Grip to the Trigger to Fit Most Hands

1911 Inspired Rear Tang Creates Consistent Hand Placement and Reduces Muzzle Lift

Engineered Fit to the Shooter's Hand to Provide Outstanding Balance

Scorpion Recoil Grip Reduces Recoil & Muzzle Lift



More Vertical Angle for Improved Grip & Ergonomics

Black A.5.10.2342



Destroyer Gray A.5.40.2343 • Not Affected by Chemicals or Extreme Temperatures

Scorpion Grip Patent # 8,561,338 B2

- Single screw for easy installation
- Made in the USA
- Limited Lifetime Warranty

Finger Elevation Contour Leads Finger to Trigger

Sure Grip V2 Texture for an Extremely Secure Hold in Wet and Dry Conditions

Curved Base Secures Grip and Aids in the Reduction of Muzzle Lift

Sure Grip V2 Texture Close-up





# **SCORPION X2 GRIPS**

**AR-15 RIFLES** 





AR-15 X2 GRIP

MADE IN U.S.A

# **AR-15** FORENDS

### The possibilities are endless with ATI's 6 and 8-Sided Aluminum Forends

What makes these forends revolutionary is the ability to **position rails at 45**° **increments** around the circumference of the forend to the exact position desired along the length of the forend. Install any accessory in any position that is most comfortable for you; your options to customize and add accessories are virtually infinite!

- Constructed of Military Type III Anodized, 6061 T6 Aluminum.
- Mounting long distance optics on the top rail location and a short distance sight onto the 45° rail location makes switching between long range and short range targeting as quick as a twist of the wrist.
- Install accessories to the exact position of comfort, no longer limited to rails at 90°.
- Available in Carbine, Mid-Length Rifle Length or 15" Lengths
- Compatible with ATI's Aluminum Picatinny Rails Available in 2", 3", 4", 6", 9", 12" and 15", Both in Standard Military and Low Profile Heights.







#### 6-Sided Aluminum Forend Weights

Product	Weight			
6-Sided Carbine Length Free-Float Forend A.5.10.1170	5.1 oz. 145 g.			
6-Sided Mid-Length Free-Float Forend A.5.10.2537	7.1 oz. 201 g.			
6-Sided Rifle Length Free-Float Forend A.5.10.1174	9.1 oz. 258 g.			
6-Sided 15" Free-Float Forend A.5.10.1422	11.9 oz. 337 g.			

 Forend weights do not include the weight of picatinny rails or accessories.

\*\* Forend packages available with and without picatinny rails and assembly hardware.

#### 8-Sided Aluminum Forend Weights

Product	Weight		
8-Sided Carbine Length Free-Float Forend A.5.10.1140	5.2 oz. 147 g.		
8-Sided Mid-Length Free-Float Forend A.5.10.2535	7.2 oz. 204 g.		
8-Sided Rifle Length Free-Float Forend A.5.10.1150	9.3 oz. 263 g.		
8-Sided 15" Free-Float Forend A.5.10.1420	12 oz. 340 g.		

\* Forend weights do not include the weight of picatinny rails or accessories.

\*\* Forend packages available with and without picatinny rails and assembly hardware.





# **Rifle** COMPONENTS

16

ATI's TactLite, Strikeforce and Talon T2 Stocks will transform your rifle into a more functional weapon with an aesthetic appeal that is unsurpassed. Upgrade your rifle today!





# **TactLite** on **RIFLE**

### MINI 14 / MINI THIRTY

#### **Cheekrest options**

- Both options included with TactLite Stock
- DuPont® Extreme Temperature Glass Reinforced Polymer
- Easy Adjustability

1/2" Rise





TactLite STOCK | ON RIFLE

# **SHOTGUN** COMPONENTS

Take your Pump Action Shotgun to the next level with ATI's TactLite T2 Stock. ATI's TactLite T2 Shotgun Line featuring the TactLite stock provides you with maximum comfort and adjustability for any situation.



TactLite STOCK | ON SHOTGUN



# TactLite on SHOTGUN

### **MOSSBERG** 590

#### **Cheekrest options**



Both options included with most TactLite Stocks

- DuPont® Extreme Temperature Glass Reinforced Polymer
- Easy Adjustability

1/2" Rise







TactLite STOCK | ON SHOTGUN

### RUGER AR-22 STOCK SYSTEM NEW FOILS

Scorpion Grip Patent # 8,561,338 B2 Forend Patent # 8,215,046 B2 Patent Pending Stock System

ATI's AR-22 Conversion Kit provides the ultimate make over for your Ruger 10/22. The AR-22 kit converts your Ruger 10/22 into an almost indistinguishable AR-15 Look-a-Like.





RUGER AR-22 STOCK SYSTEM



# **AR-22 STOCK SYSTEM**

### **RUGER 10/22**



**RUGER AR-22 STOCK SYSTEM** 

## CZ 512 STOCK SYSTEM NEW 2015

Scorpion Grip Patent # 8,561,338 B2 Forend Patent # 8,215,046 B2 Patent Pending Stock System

The CZ512 Conversion Kit transforms the CZ 512 into what may possibly be the coolest rimfire rifle on the market today with an adjustable six position stock and AR-15 style Free-Float Forend.

#### **Barrel Block Mount**

With the Conversion to an Aluminum Forend which is Mounted to the Barrel, we have Provided an Aluminum Barrel Block. The Block Stabilizes the Forend and Barrel for Optimal Accuracy.

#### **System Components**

Six Sided Stock System | B.2.10.2217

Aluminum Picatinny Rail Single Rail Covers Forend and Receiver —

\*\*\*\*\*\*\*\*\*\*











**CZ 512 STOCK SYSTEM** 

## **RAVEN** COMPONENTS

Scorpion Grip Patent # 8,561,338 B2 Patent Pending Stock Patent Pending Magazine Tube Tri-Rail Patent Pending Cheekrest Patent Pending Heatshield



# **RAVEN STOCKS**

### **BENELLI**<sub>®</sub> SUPERNOVA



**RAVEN STOCKS** 

88888

25

## **HALO** ADD-A-SHELL SYSTEMS

#### A.5.10.1002

#### Mossberg 500/590

#### 9 Shell Customizable Add-A-Shell Configurations

- CNC Machined from 6061 T6 Aluminum & Military Type III Hardcoat Anodized
- Add-A-Shells Mount in any Location on the Side Saddle
- Mount as many or as few Add-A-Shells as desired
- Customize your Shell Configuration for any Task at Hand



6 Shell Configuration | A.5.10.1001

Mossberg 500/590 | 9 Shell



#### A.5.10.1006

#### Remington 870

#### 7 Shell Customizable Add-A-Shell Configurations

- CNC Machined from 6061 T6 Aluminum & Military Type III Hardcoat Anodized
- Add-A-Shells Mount in any Location on the Side Saddle
- Mount as many or as few Add-A-Shells as desired
- Customize your Shell Configuration for any Task at Hand



5 Shell Configuration | A.5.10.1005

HALO ADD-A-SHELL

Remington 870 500/590 | 7 Shell

Side Saddle Patent US 8,316,569 B1 Add-a-Shells Patent US 8,528,245 B2



ATIgunstocks.com

26

# **ADD-A-SHELL SYSTEMS**

**REMINGTON 870** MOSSBERG 500/590







# **HUNTING** RIFLE STOCKS

Renovate a classic with ATI's Aftermarket Military Surplus stocks. In a matter of minutes you can breathe new life into your Mosin, Enfield, Mauser and SKS Rifles by installing an ATI Monte Carlo Stock.



# **RIFLE STOCKS**

### **MOSIN NAGANT**



HUNTING RIFLE STOCKS



#### CZ USA • HATSAN ESCORT • MAVERICK MOSSBERG • REMINGTON • WINCHESTER

Akita Patent # D639,891S Mount Patent # 6,374.528 B1

### The PERFECT FIT

People come in all shapes and sizes, ranging from tall to short and everything in between, so why shouldn't your stock as well? No longer do you have to shoot a gun that doesn't fit you.

Shoot one that does! ATI's Akita Adjustable Stock has one of the longest AND the shortest lengths of pull in the industry! Perfect for every shooter, as the length of pull can be easily adjusted from 12 3/8" to 14 3/8". Now the stock that fits you while wearing a T-shirt in the summer heat can be easily adjusted to fit you while wearing a winter coat when the leaves turn brown.

- One Push of the Quick Release Button will Adjust the Length of Pull
- Adjustable Cheekrest for Added Comfort (1/2")
- Adjustable 4 Position Stock
- Adjustable Length of Pull 12 3/8" to 14 3/8"
- Available in Black, Woodland Brown and Flat Dark Earth

Fits CZ 712 (12 GA) and 720 (20 GA) Hatsan Escort 12 GA Pump Action Models Mossberg 500'/535/590/835 12 GA and 20 GA Models Remington 870 12 GA and 20 GA Models Winchester 1200/1300 and SXP 12 GA Models Maverick 88

\*Forends on the Maverick 88 and newer model Mossberg 500A, B & C cannot be replaced because action bars are attached to forend.



Sure to be the perfect fit for every sportsperson... of all ages and sizes!





ATIgunstocks.com

#### AKITA COMPONENTS







Custom fit your ATI Akita Stock to your specific firearm, whether it is a CZ 712 Semi-Auto, a Remington 870 or a Winchester 1200/1300.

\*The 12 GA Maverick 88 and Mossberg 500/535/590/835 Akita Stocks fit directly onto the receiver and do not require an Akita Aluminum Mount.





### CZ 720 & HATSAN ESCORT





**AKITA COMPONENTS** 





**ADDITIONAL STOCKS** 



#### TactLite Stock A.2.10.2211, A.2.10.2212

- Lightest Aftermarket Stock 5.85 Oz
- No Snag Points
- Optional Adjustable Cheekrest(s) (11/4")
- TracLOCK System

Adjustment

- Provides a Tight Fit to the Buffer - Eliminates Horizontal and Vertical
- Movement - Provides Smooth and Quiet LOP



#### AR-15 Mag Covers - Black AR15223

- Protect Your Mags from Dust and Humidity
- Flexible Rubber
- 4 Per Pack



#### AR-15 Scorpion Pistol Grip A.5.10.2342, A.5.20.2343 & A.5.40.2343

- NEW V2 Sure-Grip Texture
- Absorbs Energy, Doesn't Transfer Energy to Shooter
- Not Affected by Chemicals or Extreme Temperatures
- Scorpion Grip Patent # 8,561,338 B2



#### Scorpion Razorback Recoil Pad A.5.10.2301

- Absorbs Energy, Doesn't Transfer Energy to Shooter
- Not Affected by Chemicals or Extreme Temperatures



#### **Forend Pistol Grip** FPG0100, A.5.20,2495 & A.5.40.2495

- Five Position
- DuPont<sup>®</sup> Extreme Temperature Glass Reinforced Polymer



**AR-15 Forend Swivel Stud Kit** A.5.10.2390



FS8 Nose Cone A.5.10.2360

- Military Type III Anodized, 6061 T6 Aluminum
- Anchors into Multiple Surfaces for Increased Stability & Accuracy



#### **AR-15 Commercial Buffer Tube** Assembly A.5.10.1050

- Military Type III Anodized, 6061 T6 Aluminum
- Spring Steel Buffer Spring, Castle Nut. and Locking Ring



AR-15 Mag Covers - Clear A.5.10.2340

Protect Your Mags from Dust and

Humidity

4 Per Pack

Flexible Rubber

#### **AR-15 Military Spec. Buffer Tube** Assembly A.5.10.2240

- Military Type III Anodized, 6061 T6 Aluminum
- Spring Steel Buffer Spring, Castle Nut. and Locking Ring



#### **AR-15 Forend Sling Swivel Kit** A.5.10.2385

- Laser Etched Sling Swivel
- Easy Installation



#### **ATI Sling Swivel** A.5.10.2506

- Easy Installation
- High Quality E-Coated Steel
- Accepts up to 11/4" Wide Slinas
- Virtually Indestructible



#### **RIFLE ACCESSORIES**

# Easy Installation



#### AR-15 Aluminum 6-Sided 15" Free-Float Forend with Utility Rail Package & Slotted Barrel Nut A.5.10.1177

- Military Type III Anodized, 6061 T6 Aluminum
- Includes Slotted Barrel Nut
- Utility Rail Package
  - One 15" Low Profile Picatinny Rail
  - One 4" Picatinny Rail
  - One 2" Picatinny Rail



#### AR-15 Aluminum 6-Sided Rifle Length Free-Float Forend with Utility Rail Package & Slotted Barrel Nut A.5.10.1175

- Military Type III Anodized, 6061 T6 Aluminum
- Includes Slotted Barrel Nut
- Utility Rail Package
  - One 12" Low Profile Picatinny Rail
  - One 4" Picatinny Rail
  - One 2" Picatinny Rail



#### AR-15 Aluminum 6-Sided Mid-Length Free-Float Forend with Utility Rail Package & Slotted Barrel Nut A.5.10.2538

- Military Type III Anodized, 6061 T6 Aluminum Includes Slotted Barrel Nut
- Utility Rail Package
- One 9" Low Profile Picatinny Rail
- One 4" Picatinny Rail
- One 2" Picatinny Rail



#### AR-15 Aluminum 6-Sided Carbine Length Free-Float Forend with Utility Rail Package & Slotted Barrel Nut A.5.10.1171

- Military Type III Anodized, 6061 T6 Aluminum
- Includes Slotted Barrel Nut
- Utility Rail Package
- One 6" Low Profile Picatinny Rail
- One 4" Picatinny Rail
  - One 2" Picatinny Rail



#### AR-15 Aluminum 8-Sided 15" Free-Float Forend with Utility Rail Package & Slotted Barrel Nut A.5.10.1145

- Military Type III Anodized, 6061 T6 Aluminum
- Includes Slotted Barrel Nut
- Utility Rail Package
- One 15" Low Profile Picatinny Rail
- One 4" Picatinny Rail
- One 2" Picatinny Rail



#### AR-15 Aluminum 8-Sided Rifle Length Free-Float Forend with Utility Rail Package & Slotted Barrel

- Nut A.5.10.1143
- Military Type III Anodized, 6061 T6 Aluminum
- Includes Slotted Barrel Nut
- Utility Rail Package
- One 12" Low Profile Picatinny Rail
- One 4" Picatinny Rail
- One 2" Picatinny Rail



#### AR-15 Aluminum 8-Sided Mid-Length Free-Float Forend with Utility Rail Package & Slotted Barrel Nut A.5.10.2536

- Military Type III Anodized, 6061 T6 Aluminum
- Includes Slotted Barrel Nut
- Utility Rail Package
- One 9" Low Profile Picatinny Rail
- One 4" Picatinny Rail
- One 2" Picatinny Rail



#### AR-15 Aluminum 8-Sided Carbine Length Free-Float Forend with Utility Rail Package & Slotted Barrel Nut A.5.10.1144

- Military Type III Anodized, 6061 T6 Aluminum
- Includes Slotted Barrel Nut
- Utility Rail Package
- One 6" Low Profile Picatinny Rail
- One 4" Picatinny Rail
- One 2" Picatinny Rail





#### **6'' Ruger® Mini-14® Mini-Thirty® Aluminum Bottom Picatinny Rail** A.5.10.2040

Military Type III Anodized, 6061 T6
 Aluminum



#### Ruger® 10/22® Aluminum Rail Package A.5.10.1070

- Military Type III Anodized, 6061 T6 Aluminum
- One 4" Picatinny Rail
- Two 2" Picatinny Rails



#### 7" Ruger® Mini-14® Mini-Thirty® Aluminum Top Picatinny Rail

- A.5.10.2050
- Military Type III Anodized, 6061 T6 Aluminum



#### Ruger® Mini-14® Mini-Thirty® Aluminum Picatinny Rail Package

- A.5.10.1080
  Military Type III Anodized, 6061 T6 Aluminum
- One 7" Top Picatinny Rail
- One 6" Bottom Picatinny Rail
- One 2" Picatinny Rail with Swivel
- Two 2" Picatinny Rails

Also available as individual components



AK-47 Aluminum Rail Package A.5.10.1090

- Military Type III Anodized, 6061 T6 Aluminum
- One 4" Picatinny Rail
- One 2" Picatinny Rail with Swivel
- Two 2" Picatinny Rails

Also available as individual components.



#### **4" Aluminum Picatinny Rail** A.5.10.2030

- Military Type III Anodized, 6061 T6 Aluminum
- Fits ATI's SKS Strikeforce Stocks



#### 15", 12" & 6" Aluminum Low Profile Free-Float Picatinny Rails

- Allows for the Continuation of the AR-15 Upper Receiver Rail Along The Length of the Rifle
- Can be Installed Flush to the AR-15 Upper Receiver Rail
- Military Type III Anodized, 6061 T6 Aluminum

Product #	Length	Height	Weight
A.5.10.1365	15"	.3"	2.48 oz.
A.5.10.1361	12"	.3"	1.87 oz.
A.5.10.2540	9"	.3"	1.48 oz.
A.5.10.1351	6"	.3"	1.09 oz.



#### 2", 3", 4", 6" & 12" Aluminum Picatinny Rails

- Military Type III Anodized, 6061 T6 Aluminum
- Position Rails at 45° Increments Around the Circumference of the Forend

Product #	Length	Height	Weight
A.5.10.1320	2"	.4"	0.576 oz.
A.5.10.1330	3"	.4"	0.672 oz.
A.5.10.1340	4"	.4"	0.992 oz.
A.5.10.1350	6"	.4"	1.568 oz.
A.5.10.2539	9"	.4"	2.080 oz.
A.5.10.1360	12"	.4"	2.592 oz.



2" Aluminum Picatinny Rail A.5.10.2060

 Military Type III Anodized, 6061 T6 Aluminum
Fits ATI's SKS Strikeforce Stocks



2" Aluminum Picatinny Rail With Swivel Stud A.5.10.2000

- Military Type III Anodized, 6061 T6
   Aluminum
- One Swivel Stud

MADE IN U.S.A.



**RIFLE ACCESSORIES** 



#### Single Point Sling A.5.10.1008

- 1" Black Nylon Sling
- High Strength Bungee Cord
- Cushioned Non-Slip Shoulder Pad with
   ATI Logo
- Attaches with Nylon-Wrapped Industrial Carabiner



- ATI Nylon Sling A.5.10.2260
- Attaches to any Swivel Stud
- Black Nylon
- Laser Etched Sling Swivel
- Leather Embossed ATI Logo



### **AK Scorpion Pistol Grip** A.5.10.2346, A.5.20.2346 & A.5.40.2346

- Absorbs Energy, Doesn't Transfer Energy to Shooter
- Not Affected by Chemicals or Extreme Temperatures

Scorpion Grip Patent # 8,561,338 B2



**AK-47 Handguards** AKA3500, A.5.20.2436 & A.5.40.2436

- Ventilated Handguard
- One 4" & Three 2" Picatinny Rails
- Blank Inserts for When Rails are Not in Use



#### Fiberforce Recoil Pad SKS0550

- Not Affected by Chemicals or Extreme Temperatures
- Non-Slip Removable Rubber Recoil Pad
- Simply Slip-On
- Absorbs Recoil
- Adds 1" Length

#### Fits: ATI's Fiberforce Stocks for AK-47, Saiga, and SKS



#### Universal Featherweight Bipod BIP0300

- Can Swivel or Remain Fixed
- Easily Adjusted from
- 9" to 13"
- · Weighs Only 6 oz.
- Extra Swivel Stud Included
- DuPont<sup>®</sup> Extreme Temperature Glass Reinforced Polymer

#### AR-15 Civilian (Commercial) Buffer Tube A.5.10.1000

- Constructed of Military Type III Anodized, 6061 T6 Aluminum
- Commercial Diameter Tube for Maximum Fit into Commercial Buttstock

### AR-15 Military Buffer Tube

- Constructed of Military Type III Anodized, 6061 T6 Aluminum
- Military Diameter Threads for Maximum Fit into AR-15 Receiver



#### Expandable Ammo Carrier SH06200

- Quick & easy access to extra 410/rifle rounds
- Holds 10 rounds
- DuPont® Extreme Temperature Glass Reinforced Polymer



#### SKS Featherweight Non-Swivel Bipod BIP0700

- Mounts to Bayonet Lug. Push "Snap-N-Lock" Button to Fold Legs Forward, Rearward or Downward.
- Fixed Bipod
- Easily Adjusts from 9" to 13"
- Weighs Only 6 Oz.
- Non-Slip Rubber Feet



#### **Pivot Housing Scorpion Retro Kit** A.5.10.2425

- Side Folding Kit
- Allows the Addition of the Scorpion Recoil Pistol Grip to Previous Generations of ATI's Mini-14® Strikeforce Stock
- Absorbs Energy, Doesn't Transfer Energy to Shooter



#### Non-Side Folding Fixed Pivot Housing Scorpion Retro Kit A.5.10.2426

- Non-Side Folding Kit
- Allows the Addition of the Scorpion Recoil Pistol Grip to Previous Generations of ATI's Mini-14® Strikeforce Stock
- Absorbs Energy, Doesn't Transfer Energy to Shooter



**RIFLE ACCESSORIES** 





#### TactLite Stock A.2.10.2211, A.2.10.2212

- Lightest Aftermarket Stock 5.85 Oz
- No Snag Points
- Optional Adjustable Cheekrest(s) (11/4")
- TracLOCK System
- Provides a Tight Fit to the Buffer - Eliminates Horizontal and Vertical Movement
- Provides Smooth and Quiet LOP Adjustment



- Akita Forend 12 GA: A.1.10.1172, A.1.20.1172, A.1.30.1172, A.1.40.1172 20 GA:
- A.5.10.1041, A.5.20.1041, A.5.30.1172, A.5.40.1041 • Sure-Grip Texture
- DuPont<sup>®</sup> Extreme Temperature Glass Reinforced Polymer



#### 7 & 8 Shot Fluted Aluminum Mag Extension

- Holds an Additional 2 & 3 2 3/4" Shotaun Shells
- Constructed of Military Type III Anodized, 6061 T6 Aluminum
- Choose between three caps



#### Talon T2 Shotgun Rear Pistol Grip

A.5.10.1660, A.5.20.1660, A.5.40.1660

- Extended Scorpion Material to Reduce Recoil and Discomfort to the Shooter's Hand and Thumb
- Sure-Grip Texture

**Tactical Shotgun Forend** 12 GA: TSG0300, A.1.20.1162, A.1.40.1162

Two 2" Picatinny Rails

Reinforced Polymer

20 GA: A.5.10.1037, A.5.20.1037, A.5.40.1037

• DuPont<sup>®</sup> Extreme Temperature Glass

• Eliminates the Felt Punch of the Recoil Scorpion Grip Patent # 8,561,338 B2



#### Scorpion X2 Recoil Pad A.5.10.1015

- Absorbs More Than Twice the Energy, Doesn't Transfer Energy to Shooter
- Not Affected by Chemicals or Extreme Temperatures
- Increased Thickness for Recoil Absorption of Heavy Loads



#### Scorpion Razorback Recoil Pad A.5.10.2301

- Absorbs Energy, Doesn't Transfer Energy to Shooter
- Not Affected by Chemicals or Extreme Temperatures



#### Talon 5-Sided **Aluminum Shotgun Forend** 12 GA: A.5.10.1160 20 GA: A.5.10.1161

- Military Type III Anodized, 6061 T6 Aluminum Forend Patent# 8,215,046 B2

#### Mag-Socket Wrench Set A.5.10.2395

- · Allows for Easy Disassembly and Installation of Forends
- Constructed of Military Type III Anodized, 6061 T6 Aluminum

Сар	CZ USA		Hatsan Escort		Remington 870		Stoeger		Supernova		Winchester	
	7 Shot	8 Shot	7 Shot	8 Shot	7 Shot	8 Shot	7 Shot	8 Shot	7 Shot	8 Shot	7 Shot	8 Shot
Standard	A.5.10.1627	A.5.10.1629	A.5.10.1530	A.5.10.1540	A.5.10.1653	A.5.10.1655	A.5.10.1533	A.5.10.1543	A.5.10.2523	A.5.10.2526	A.5.10.1670	A.5.10.1672
Swivel Stud	A.5.10.1019	A.5.10.1013	A.5.10.1531	A.5.10.1541	A.5.10.1657	A.5.10.1658	A.5.10.1534	A.5.10.1544	A.5.10.2524	A.5.10.2527	A.5.10.1674	A.5.10.1675
Stand- Off	A.5.10.1628	A.5.10.1018	A.5.10.1532	A.5.10.1542	A.5.10.1654	A.5.10.1656	A.5.10.1535	A.5.10.1545	A.5.10.2525	A.5.10.2528	A.5.10.1671	A.5.10.1673

\*CZ 10 Shot also available





#### Mossberg Halo Add-a-Shell A.5.10.1630

- Military Type III Anodized, 6061 T6 Aluminum
- Mounts to Top of Receiver using Existing Screw Holes
- Mounting Locations for Add-a-shells and Top Rail

Fits Mossberg 500 & 590 Side Saddle Patent US 8,316,569 B1



#### Aluminum Halo Ghost Ring Sights A.5.10.2505

- Military Type III Anodized, 6061 T6 Aluminum
- CNC Machined
  Front & Rear Sights



#### Remington Halo Add-a-Shell A.5.10.1665

- Military Type III Anodized, 6061 T6
   Aluminum
- Mounts to Top of Receiver using Existing Screw Holes
- Mounting Locations for Add-a-shells and Top Rail
- See website for more details Side Saddle Patent US 8.316.569



Forend Pistol Grip FPG0100, A.5.20.2495 & A.5.40.2495

- Five Position
- DuPont<sup>®</sup> Extreme Temperature Glass Reinforced Polymer



#### Add-a-Shell A.5.10.0001, A.5.10.0003 & A.5.10.0005

- One, Three, or Five Packs
- Military Type III Anodized, 6061 T6 Aluminum
- Add as Many Shells as Desired in any Configuration

Add-A-Shell Patent US 8,528,245 B2



#### 2" Aluminum Picatinny Rail A.5.10.2060

 Military Type III Anodized, 6061 T6 Aluminum

Fits ATI's SKS Strikeforce Stocks



#### Halo Add-a-Shell 6" Top Rail A.5.10.1631

- Military Type III Anodized, 6061 T6 Aluminum
- Mount Optics or Other Accessories Securely to the Top Rail



Tactical Forend Aluminum Rail Package A.5.10.1060

- Military Type III Anodized, 6061 T6 Aluminum
- One 2" Left Picatinny Rail
- One 2" Right Picatinny Rail



Tactical Shotgun Thumb Adhesive Pad A.5.10.2380

- 3M Industrial Self-Adhesive Cheekrest Pad
- Provides Extra Comfort When Shooting

Fits ATI's TSG0100 Tactical Shotgun Stock



#### Shotshell Holder SH00500

- Quick & Easy Access to Extra 12 GA Rounds
- Holds Five Rounds Any ATI Top Folding or Full Length Wood or Synthetic Stocks



#### Expandable Ammo Carrier SH06300

- Quick & Easy Access to Extra 12/20 Ga Rounds
- Holds Five Rounds

DuPont<sup>®</sup> Extreme Temperature Glass Reinforced Polymer



#### Shotforce Shotshell Holder SBS4300

- Holds Five 12 GA Shotshells
- Can be Installed on Left or Right Side
- Fits ATI Six Position Adjustable Stocks



SHOTGUN ACCESSORIES





#### Single Point Sling A.5.10.1008

- 1" Black Nylon Sling
- High Strength Bungee Cord
- Cushioned Non-Slip Shoulder Pad with ATI Logo
- Attaches with Nylon-Wrapped Industrial Carabiner



#### **ATI Nylon Sling** A.5.10.2260

- Attaches to any Swivel Stud
- Black Nvlon
- Laser Etched Sling Swivel
- Leather Embossed ATI Logo



Stock Drop Down Spacer MRW4500

- Lower Stock Angle (1/2")
- Improves Shooter's Bead Alignment



#### ATI Sling Swivel A.5.10.2506

- Easy Installation
- High Quality E-Coated Steel
- Accepts up to 11/4" Wide Slings
- Virtually Indestructible



#### Fluted Mag Extension Stand-off Cap A.5.10.0500

- Fits ATI Aluminum Fluted Mag Extensions
- Constructed of Military Type III Anodized, 6061 T6 Aluminum



#### Fluted Mag Extension Swivel Stud Cap

#### A.5.10.0502

- Fits ATI Aluminum Fluted Mag Extensions
- Constructed of Military Type III Anodized, 6061 T6 Aluminum

Mag Clamp/Accessory Clamp SMC1100

Strengthen the Connection of the Mag

Extension to the Barrel

Includes Sling Swivel Stud



**CZ, Escort & Stoeger** 12 GA Mag Follower A.5.10.1027 (CZ), A.5.10.1026 (Escort), A.5.10.1039 (Stoeger)

 DuPont<sup>®</sup> Extreme Temperature Glass Reinforced Polymer



Winchester SXP 12 GA Mag Follower A.5.10.1029

 DuPont<sup>®</sup> Extreme Temperature Glass Reinforced Polymer



8" Talon Shotgun Forend Straight **Picatinny Rail** A.5.10.1285

• Military Type III Anodized, 6061 T6 Aluminum



#### Sling Loop Spacer A.5.10.1011

- Constructed of High Strength Steel With Matte Black Powder Coating
- Accepts all Types of Single Point Sling Attachments Fits ATI Talon Stocks



SHOTGUN ACCESSORIES



Fluted Mag Extension Standard Cap

Fits ATI Aluminum Fluted Mag Extensions

Constructed of Military Type III Anodized,

A.5.10.0501

6061 T6 Aluminum

Virtually Indestructible

Heatshield Patent # 8,656,621 B1



#### Mossberg 500 & 590 Standard Halo Heatshield

A.5.10.2475 & A.5.10.2495

- Constructed of High Strength Steel With Matte Black Powder Coating
- Military Type III Anodized, 6061 T6 Aluminum Picatinny Rail
- High Temp Resistant Silicon Pads Protect the Shotgun Barrel Finish



#### Mossberg 500 & 590 Deluxe Halo Heatshield A.5.10.2476 & A.5.10.2496

- Constructed of High Strength Steel With Matte Black Powder Coating
- Military Type III Anodized, 6061 T6 Aluminum Picatinny Rail
- High Temp Resistant Silicon Pads Protect the Shotgun Barrel Finish
- Aluminum CNC Machined Ghost Ring Sights



#### Remington 870 Standard Halo Heatshield

- A.5.10.2480
- Constructed of High Strength Steel With Matte Black Powder Coating
- Military Type III Anodized, 6061 T6 Aluminum Picatinny Rail
- High Temp Resistant Silicon Pads Protect the Shotgun
  Barrel Finish



#### **Remington 870 Deluxe Halo Heatshield**

#### A.5.10.2481

- Constructed of High Strength Steel With Matte Black Powder Coating
- Military Type III Anodized, 6061 T6 Aluminum Picatinny Rail
- High Temp Resistant Silicon Pads Protect the Shotgun Barrel Finish
- Aluminum CNC Machined Ghost Ring Sights



#### **Standard Heatshield**

SHS1300

- Steel Formed Shotgun Heatshield
- Elongated Cooling Slots for Maximum Dissipation of Heat
- Easy Installation Simply Slide Over Barrel and Secure With Supplied Hardware
- 13-1/2" Long



### Deluxe Heatshield with Ghost Ring Sights SBS4600

- Steel Formed Shotgun Heatshield
- Elongated Cooling Slots for Maximum Dissipation of Heat
- Easy Installation Simply Slide Over Barrel and Secure With Supplied Hardware
- AR-15 Style Fixed Nylon Ghost Ring Sights
- 13-1/2" Long



# AT QUALEBECAUSE it's that Important to Us!



ATI Products are well known worldwide to collectors, hunting enthusiasts and members of the military and law enforcement. We have a long and proud tradition of total commitment to top quality and nothing less. All ATI Gunstocks are manufactured in the USA at our facilities in southeastern Wisconsin. Our products are easy to install, constructed with either Military Type III, 6061 T6 Aluminum or DuPont<sup>®</sup> Extreme Temperature Glass Reinforced Polymer and have a limited lifetime warranty.



To view ATI's Manufacturing processes, please visit ATIgunstocks.com or visit YouTube.com/user/ATIgunstocksUSA

#### Professional & Courteous Customer Service

Whether you're a new dealer or a lifelong customer of ATI products, you can always expect to receive the same high level of care and attention.

### Military and Law Enforcement Discount

ATI wants to honor the brave men and women who are proudly serving our country as Military or Law Enforcement Officers. Please contact one of our Customer Service Representatives at 800.925.2522 for more details on ATI's Military and Law Enforcement Discounts.

#### Lifetime Warranty

ATI's Limited Lifetime Warranty covers the product through the lifetime of the original purchaser.

The Limited Lifetime Warranty covers all manufacturers' defects. These warranties will cover any failure or defect in the product, which is the direct responsibility of the manufacturer.

For a complete copy of ATI's Lifetime Warranty, please visit:

#### ATIgunstocks.com





### ATI's Quality Products Sold Worldwide!



Shop online at ATIgunstocks.com